DO NOT TEAR THIS COVER OF THE GUESTION BOOKLET UNTIL YOU ARE ASKED TO DO χį

**Tear here** 

Surgeon 1554.

**Booklet Series** 

Register

Number 2007

# **MEDICAL SCIENCE**

Time Allowed : 3 Hours ]

| Maximum Marks : 300

## Read the following instructions carefully before you begin to answer the questions.

#### **IMPORTANT INSTRUCTIONS**

- 1. This Booklet has a cover ( this page ) which should not be opened till the invigilator gives signal to open it at the commencement of the examination. As soon as the signal is received you should tear the right side of the booklet cover carefully to open the booklet. Then proceed to answer the questions.
- 2. This Question Booklet contains 200 questions.
- 3. Answer all questions. All questions carry equal marks.
- 4. The Test Booklet is printed in *four* series *e.g.* A B C or D (See Top left side of this page). The candidate has to indicate in the space provided in the Answer Sheet the series of the booklet. For example, if the candidate gets A series booklet, he/she has to indicate in the side 2 of the Answer Sheet with Blue or Black Ink Ball point pen as follows:

- 5. You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- 6. An Answer Sheet will be supplied to you separately by the Invigilator to mark the answers. You must write your Name, Register No. and other particulars on side 1 of the Answer Sheet provided, failing which your Answer Sheet will not be evaluated.
- 7. You will also encode your Register Number, Subject Code etc., with Blue or Black ink Ball point pen in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to encode the above information, your Answer Sheet will not be evaluated.
- 8. Each question comprises *four* responses (A), (B), (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 9. In the Answer Sheet there are **four** brackets [A] [B] [C] and [D] against each question. To answer the questions you are to mark with Ball point pen ONLY ONE bracket of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong. *e.g.* if for any item, (B) is the correct answer, you have to mark as follows :

## [A] [C] [D]

- 10. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the examination. After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 11. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.
- 12. Do not tick-mark or mark the answers in the Question Booklet.

x 301

3001

	Um	bilica	l cord contains		
		I.	Left Umbilical vein		
		п.	Left Umbilical artery		
		III.	Right Umbilical artery		
		IV.	Right Umbilical vein		
	Of t	he st	atements given		
	A)	(I) a	lone is correct		
	B)	(I) 8	k (II) are correct		
	<b>C)</b>	(I), I	(II) & (III) are correct		
	D)	All	are correct.		·
2.	Unl	ockir	ng of knee joint is done by		•
	A)	Piri	formis	B)	Popliteus
	C)	Sol	eus	D)	Gastrocnemius.
3.	Ţhe	roui	nd ligament of the liver represe	nts th	e
	A)	obl	iterated left Umbilical artery	<u>B)</u>	obliterated left Umbilical vein
	C)	obl	iterated right Umbilical vein.	D)	obliterated right Umbilical artery.
4.	The	e stru	cture affected in carpal tunnel	syndr	ome is
	A)	Me	dian nerve	B)	Ulnar nerve
	C)	Rac	lial nerve	D)	Musculocutaneous nerve.
5.	Por	tal ve	in is formed by the union of		· .
	A)	Infe	erior mesenteric vein and splen	ic veir	1
	B)	Su	perior mesenteric vein and righ	t gastı	ric vein

Consider the following statements :

1.

C) Splenic vein of superior mesenteric vein

D) Superior mesenteric vein and inferior mesenteric vein.

6. High concentration of alpha fetoprotein in amniotic'fluid is found in

- A) besophageal atresta B) renal agenesis
- C) congenital cardiac defects D) neural tube defects.

x <u>301</u>

3001

A) persisting proximal part of vitello-intestinal duct

B) persisting part of urachus

C) persisting part of umbilical artery

D) persisting part of mesonephric duct.

8. Consider the following statements :

The deep nuclei of cerebellum are

I. Dentate nucleus

II. Emboliform nucleus

III. Globose nucleus

IV. Lentiform nucleus.

Of the statements given

A) (I) alone is correct

B) (I) & (II) are correct

C) (I), (II) & (III) are correct

D) All are correct.

9. Substantia Nigra is present in

A) Pons

B) Mid-brain

C) Medulla oblongata

D) cerebellum.

10. Cerebrospinal fluid is secreted by

A) Cervical plexus

B) Choroid plexus

C) Coeliac plexus

D) Cardiac plexus.

x 301

3001 .

11. Consider the following statements :

The essential constituents of the extra-pyramidal system are

- I. Corpus Striatum
- II. Claustrum
- III. Amygdaloid body
- IV. Corpus callosum.
- Of the statements given
- A) (I) alone is correct
- B) (I) & (II) are correct.
- C) (I), (II) & (III) are correct
- D) All are correct.
- 12. Corpus callosum contains
  - A) Climbing fibres
  - B) Association fibres
  - C) Projection fibres
  - D) Commissural fibres.
- 13. Most common tumour of the heart is
  - A) Fibromas
  - C) Atrial Myxomas
- B) Sarcomas

Broncho Pneumonia

- D) Carcinomas.
- 14. Red hepatisation is a stage in
  - A) Lobar Pneumonia B)
    - Interstitial Pneumonia D) Restrictive Lung Diseases.
- 15. The virus closely associated with Burkitt's Lymphoma is
  - A) Epstein-Barr Virus
  - B) Cytomegalo Virus
  - C) Herpes Virus
  - D) Hepatitis Virus.

x 301

C)

3001

AMŞ	9	6		
16.	Dore	othy Reed-Sternberg cells are diagn	ostic o	f
. •	A)	Non-Hodgkin's Lymphoma		
	B)	Chronic Lymphocytic Leukemia	•	
	C)	Acute Lymphoblastic Leukemia		
	D)	Hodgkin's Lymphoma.		•
17.	Bile	pigments are absent in the urine in	• •	•
	<b>A</b> )	hemolytic jaundice	<b>B</b> )	hepatocellular jaundice
	C)	obstructive jaundice	D)	familial cholestatic jaundice.
18.	Urin	ne for Bence Jones Protein Test is po	sitive	in
	A)	Nephrotic Syndrome	<b>B</b> )	Chronic Glomerulonephritis
	C)	Multiple Myeloma	D)	Malignant Hypertension.
<b>19</b> .	Ату	vloid is characteristically stained wit	h	
	A)	Congo-red underpolarized microsc	ope	· · · · ·
	B)	H&E		
	C)	Silver stains		

- D) Collagen stains.
- 20. Ionising Radiation can act as
  - A) Physical Carcinogen
  - C) Chemical Mediators
- 21. Dystrophic calcification is seen in
  - A) Hypercalcemia
  - C) Hypernatremia
- 22. Giant cell tumour of bone is a/an
  - A) Metaphyseal lesion
  - C) Diaphyseal lesion

- B) Tumour Markers
- D) Chemotactic factor.
- B) Hypocalcemia
- D) Dead and necrotic tissue.
- B) Epiphyseal lesion

D) seen in joint cavities.

x 301

- 23. Paraneoplastic Syndromes are seen with
  - A) Renal cell carcinoma and small cell carcinoma of lung
  - B) Granulosa cell tumour of ovary
  - C) Brenner Tumour
  - D) Transitional cell carcinoma of bladder.

#### 24. Astrocytoma is a

- A) Glial tumour
- B) Carcinoma
- C) Sarcoma
- D) Primitive Neuroectodermal tumour.
- 25. The following statements about obstructive liver disease are true except
  - A) History of passing dark urine & clay coloured stools
  - B) Elevated serum bilirubin,
  - C) Elevated alkaline phosphatase
  - D) Presence of urobilinogen in urine.
- 26. Hypercalcemia is seen in all of the following conditions except
  - A) Primary Hyperparathyroidism
  - B) Tertiary Hyperparathyroidism
  - C) Ectopic production of parathyroid hormone
  - D) Renal disease.
- 27. The following facts about Metabolic acidosis are true except
  - A) decreased bicarbonate consentration
  - B) decreased pH
  - C) increased pCO<sub>2</sub>
  - D) decreased anion gap.
- 28. The predominant cation in the intracellular fluid is
  - A) Sodium
  - B) Potassium
  - C) Calcium
  - D) Magnesium.

x 301

				· · · ·
AMS	8	. 8	3	
29.	All	are true for LDL except		,
	<b>A</b> )	delivers cholesterol to cell		
	B)	contains apo B48		
	C)	it is a marker for cardiovascular	risk	
	D)	contains only one apoprotein.		•
30.	The	amino acid necessary for the synt	hesis of	heme is
	A)	Glycine	<b>B</b> )	Tyrosine
	C)	Glutamate	Ď)	Arginine.
31.	<b>A</b> 11	are hepatic porphyrias except		
	A)	Porphyria variegata	,	
	B)	Porphyria cutanea tarda		
	C)	Hereditary coproporphyria		
	D}	Protoporphyria.		
32.	The	product of heme-oxygenase react	lon is	
	A)	Bilirubin	· B)	Biliverdin
	C)	Urobilin	<b>D</b> )	Stercobilin.
33.	The	e enzyme. ferrochelatase is deficien	t in	
	. <b>A)</b>	Hereditary coproporphyria	B)	Porphyria variegata
	C)	Protoporphyria	D)	Porphyria cutanea tarda.
34.	The	Biosynthesis of heme requires all	of the f	ollowing except
	A)	Propionic acid	B)	Succinyl-CoA
	C)	Glycine	D)	Ferrous ion.
35.	The	e normal serum ionized calcium is		
	A)	5 mg/dl		
	́ B)	10 mg/ dl		
	C)	15 mg/ dl		
	D)	20 mg/ dl.		

ы**х** 

1

x 301

9 AMSQ 36. Lung surfactant is A) Dipalmitoyl lecithin B) **Dipalmitoyl** cephalin D) Cerebroside. C) Sphingomyelin 37. The lacteals present in the intestinal villi help in the absorption of B) Amino acids A) Glucose D) C) Fatty acid and glycerol Proteins. 38. Tumuors of the somatotropes of the anterior pituitary in children lead to A) gigantism B) acromegaly C) dwarfism D) cretinism. 39. In girls the event of thelarche refers to A) the development of pubic hairs B) the first menstrual period the development of breast C) D) all of these. The action of secretin on pancreatic duct cells is mediated via 40. A) cyclic GMP B) cyclic AMP Ĉ) trophic action none of these. D) The juxtraglomerular cells of the kidney secrete 41. A) Angiotensin I -B) Renin Angiotensin II. Erythropoietin D) C) Salivary secretions contain 42. salivary & amylase A) lingual lipase B) D) all of these. C) mucin

3001

x 301

- AMSQ
- 43. Copper-T is an
  - A) temporary female contraceptive device
  - B) temporary male contraceptive device
  - C) permanent female contraceptive device
  - D) oral contraceptive device.

44. The normal tidal volume at rest is

- A) 100 ml / min
- B) 500 ml / min
- C) 1000 ml / min
- D) 1500 ml / min.

#### 45. Vector for Epidemic Typhus is

- A) Rat flea
- C) Mite

- B) Tick
- D) Louse.

46. The key protein produced by macrophages on exposure to micro-organisms and other stimuli is

- A) Integrin B) Interleukin 1
- C) Interleukin 2 D) Complement.
- 47. Class I MHC molecules are found in
  - A) Erythrocytes and macrophages
  - B) Erythrocytes,  $\beta$  cells and T cells
  - C) **T** ceils only
  - D) all nucleated cells.
- 48. Rheumatoid factor is an
  - A) antinuclear antibody
  - C) antibody to immunoglobulin
- B) antibody to synovial membranes
- ulin D) antibody to complement.

3001

- 49. A hybridoma is a cell formed by fusion of
  - A) **T** cell with a myeloma cell.
  - B) macrophage with a myeloma cell
  - C) plasma cell with a plasma cell of another species
  - D) plasma cell with a myeloma cell.

x 301

50. Aseptic meningitis is caused by

- A) Pneumococci
- B) Meningococci
- C) Coxsackievirus
- D) Human Immunodeficiency Virus.
- 51. Which one of the following is responsible for dental caries ?
  - A) Streptococcus agalactiae
  - B) Streptococcus pyogenes
  - C) Streptococcus mutans
  - D) Streptococcus MG.
- 52. Which one of the following statements is not correct regarding antigenic drift in Influenza virus ?

- A) Abrupt drastic discontinuous variation in antigenic structure
- B) Gradual sequential change in antigenic structure
- C) It is due to mutation and selection
- D) Accounts for periodical epidemics of Influenza.
- 53. Sterilisation by non-ionising radiation is done using
  - A) X-rays B) Gamma rays
  - C) Cosmic rays D) UV rays.
- 54. Cold agglutinins are seen in the following except
  - A) Primary atypical pneumonia B) Myasthenia gravis
  - C) Trypanosomiasis D) Black water fever.
- 55. Isograft refers to graft from
  - A) member of same inbred strain
  - B) genetically unrelated member of same species
  - C) self
  - D) different species.

AMSQ

x 301

56.	Which of the following statements about IgE is not correct ?					
	A)	It cannot be demonstrated by prec	ipitati	ion		
	B)	It is homocytotropic				
	C)	It is heat stable				
	D)	. It does not cross placenta.				
57.	Cho	oose the potassium sparing diuretic	from t	he following :		
	A)	Firusemide	<b>B</b> )	Hydrochlor thiazide		
	C)	Spirinolactone	D)	Bumetanide.		
58.	Cho	oose the psychotogenic drug from th	e follo	wing :		
	A)	Chlorpromazine	B)	Caffeine		
	C)	Lithium	D)	Lysergic acid diethylamide		
59.	Lith	nium carbonate is used as a/an				
	<b>A</b> )	Anti-depressant Drug	B)	Anti-psychotic Drug		
	C)	Psychotogenic Drug	D)	Anti-anxiety Drug.		
60.	Cho	oose the tricyclic anti-depressant fro	m the	following		
	A)	Fluvoxamine	B)	Fluoxetine		
	C)	Imipramine	Ď)	Trazodone.		
61.	Wh	ich of the following has antiplatelet a	action	?		
	A)	Aspirin	B)	Difiunisal		
	C)	Paracetamol	D)	Ketorolac.		
62.	Cho	oose the drug with long half-life from	the f	ollowing :		
	A)	Ethosuximide	B)	Phenobarbitone		
	C)	Carbamazepine	D)	Primidone.		
63.	Wh	ich of the following is non-volatile ge	eneral	anaesthetic ?		
	A)	Thiopental Sodium	B)	Nitrous oxide		
	C)	Chloroform	D)	Halothane.		

3001

-			13	A	MSQ
64.	Cho	oose the long acting sulphonam	ide from	n the following :	
	A)	Sulphadiazine	B)	B) Sulphisoxazole	
	C)	Sulphaphenozole	D)	D) Sulphamethoxypyridazine.	
65.	Ch	oose the ulcer protective from th	ie followi	wing :	
	A)	Sucralfate	B)	B) Metallopramide	
	C)	Cimetidine	D)	D) Omeprazole.	
66.	Ch	oose the systemic antacid from	the follov	owing :	
	A)	Omeprazole	B)	B) Sodium bicarbonate	
	C)	Magnesium hydroxide	D)	D) Magnesium carbonate.	
67.	Ch	oose the Emetic from the follows	ing :		
	`A)	Apomorphine	B)	B) Hyoscine	
	C)	Metoclopramide	D)	D) Cisapride.	
<b>68</b> .	Wh	nich of the following is antimotili	ity drug 1	g ?	
	A)	Kaolin	<b>B</b> ]	B) Pectin	
	C)	Psyllium	D)	D) Codeine.	
<del>6</del> 9.		a case of hanging, when the kno s known as	ot of the l	e ligature is present at the nape of a	neck,
	A)	Atypical hanging	B	B) Typical hanging	
	C)	Paradoxical hanging		D) None of these.	
70.	In	X-ray of a dead child, the ma		ment of bones of skull & overridi	ng of
		nes is known as			
	A)	Chadwik sign		B) Braxton-Hicks sign	
	C)	Spalding's sign	D	D) None of these.	
71.		a husband has forcible sexual in rape according to	itercours	rse with his own wife, will be consid	iered
`	A)	Sec. 354 I.P.C.			
	B)	Sec. 374 I.P.C.		<u>.</u>	
	C)	Sec. 376-A I.P.C.			
	D)	None of these.			
x [3	01	· ·	<b>3001</b>	[ Turn	over

.

···---

Å

				,	•
			• .		
	AMS	-		,14	
	72.	Caf	fey's syndrome is otherwise kr	nown as	
•		A)	Battered baby syndrome	<b>B</b> )	Sudden infant death syndrome
		C)	Neglect baby syndrome	<b>D</b> )	None of these.
	73.		tom test is a test used to find es of	out whether	the person was alive or dead in the
		A)	Hanging	, .	
		B)	Drowning		· · · ·
		C)	Suffocation		
		D)	None of these.		
	74.	The	e gravid uterus remains within	the pelvic c	avity upto
		A)	16 weeks	B)	14 weeks
		C)	12 weeks	D)	None of these.
	75.	The	following tests are biological	tests to find	out pregnancy except
		A)	Aschheim-Zondek test	· · ·	
		B)	Friedmann modification test		
		C)	Xenopus test	;	·
		D)	Phenolphthalein test.	•	
	<b>76</b> .			•	the infliction of pain, torture and
			niliation to the partner act as		
		A)	Masochism	B)	Fetishism
		C)	Sadism	D)	None of these.
	77.		incised wound could be cause	-	•
		A)	Cycle chain	B)	Hammer
	70	C)	Knife	D)	None of these.
	78.		weapon Aruval or Sickle will		
		A)	Blast injury	B)	Cut injury
	-	C)	Abrasion	D)	None of these.
	79.	Bef to	ore postmortem examination	, x-rays sho	uld be taken in a case of death due
		A)	Hammer injuries	<b>B</b> )	Firearm injuries
		C)	Aruval injuries	D)	None of these.
	<b></b>		กานของ มาวันปี เธือ		
	x 30	01		3001	

			-	
80.	Miz	red dentition will be seen upto		
	A)	12 years	B)	16 years
	- C)	18 years	D)	20 years.
81.	Gre	eat sanitary awakening took place in		
	A)	Singapore	B)	Russia
	C)	France	D)	England.
82.	The	first distinguished Epidemiologist v	vas	
	A)	Thomas Sydenham		
	B)	John Hunter		
	<b>C)</b>	John Snow		
	D)	William Bud.		
83.	Рге	sence of bacteria in the air was demo	onstra	ited by
	A)	Robert Koch	B)	Louis Pasteur
	C)	Edward Jenner	"D)	James Lind.
84.	The	concept of Health Centre was first r	noote	i by
	, A)	Sir Joseph Bhore	B)	World Health Organisation
	C)	Lord Dawson	D)	C.E.A. Winslow.
85.	'Me	dicine is a social science and politics	on a	large scale' written by
	A)	Virchow	B)	John Bryant
	C)	Dr. Francis Peabody	D)	McKeown .
86.	Phy	sical Quality of Life Index is a comp	o <b>sitio</b> r	a of
	<b>A</b> )	Infant mortality, Life expectancy, F	'emale	literacy
	B)	Infant mortality, Maternal mortalit	y, Lite	racy
	C)	Infant mortality, Standard of living	, Liter	acy
	D)	Infant mortality, Life expectancy at	t age o	ne, Literacy.
87.	Hu	man Development Index ranges from	L .	· , , , , , , , , , , , , , , , , , , ,
	A)	0-1	B)	1-10
	C)	1-100	D)	1-1000.
88.	The	e term social medicine was first intro	duced	by
	A)	Jules Guerin	B)	Alfred Crotjahn
	C)	Prof. Crew	D)	John Ryle.
	Ξ,		- •	· · · · · · · · · · · · · · · · · · ·

x 301

ſ

## 3001

#### [ Turn over

AMSQ 16 Community Medicine as a department was first recommended by 89. A) WHO Expert Committee Euro Symposium B) C) **Todd Commission** WHO/UNICEF/ Joint Committee report. D) 90. Tenth revision of International classification of diseases came into effect on A) 1<sup>st</sup> January, 1993 B) · 1<sup>st</sup> January, 1991 ° C) 1<sup>st</sup> April, 1993 1<sup>\*t</sup> April, 1991. D) Ventral Hernia is 91. Inguinal Hernia . A) Femoral Hernia B) **Obturator Hernia** Incisional Hernia. C) D) 92. Fracture pelvis is associated with A) rupture of urethra B) rupture of ureter C) rupture of urachus D) rupture of umbilicus Which is of the following is correct regarding boundary of Inguinal canal? 93. Anteriorly by Transversals fascia **A**) B) Posteriorly by Psoas C) Inferiorly by Inguinal ligament Superiorly by Rectus abdominis. D) 94. Seldinger's needle is meant for A) B) Suture skin Liver Biopsy C) Arteriography D) Breast Biopsy. 95. Jaboulay's Procedure is surgical procedure for A) Hernia B) Hydrocele Haemonoids Hamartoma. C) D) 'Clinical assessment of varicose veins includes the use of 96. A) Hess Test B) **Tourniquet Test** C) Coombs' Test D) Muscle stretch.

3001

x 301

97.			staging of Carcinoma Breast ing is correct ?	TNM	classification of $T_2$ , $N_2$ $M_1$ which of
	<b>A</b> )	Tum	our size within 5 cm	B)	Nodes are palpable and motile
	<b>C</b> )	No m	etastasis	D)	Supraclavicular lymph node.
<del>9</del> 8.	Out	come	of liver Trauma is		
		I)	Rapid parenchymal regenear	tion	
		II)	Associated with Biliary Strict	ures	
		III)	Liver atrophy		•
		IV)	Develop Hepatocelluler Carci	noma	
	Of t	hese			
	A)	I&II	are correct	<b>B)</b>	II & III are correct
	C)	III &	IV are correct	D)	I, II & III are correct .
<b>99</b> .	9. 45 year old woman is having irregular bleeding for the past 6 months, the b investigator is				
,	A)	D & 0	C	B)	Laparoscopy
	C)	Fract	ional curettage	D)	Hysterogram.
100.	Lap	arosco	opy is done for		. · · ·
•	A)	Infert	-	B)	Endometrial cancer
	C)	CaCx	Σ.	D)	Bartholin's cyst.
101.	Fibr	oid U	terine is diagnosed by		
	A)	D&(	C	B)	Colposcopy
	C)	Pap s	smear '	D)	Ultrasound.
102.	Sub	mucou	us fibroid in Nullipara is remov	red by	, · ·
:	A)	Hyste	erography removal	<b>B</b> )	Abdominal myomectomy
	C)	Hyste	erectomy	D)	Radiation.
103.	The	comm	onest site for Fibroid is		
	A)	Subs	erous	B)	Intramural
	C)	Cervi	cal	D)	Submucous.

x 301

3001

[ Turn over

.

. .

AMSQ		18	
104. T	he commonest degeneration in fibro	oid in pro	egnancy is
A	) Red degeneration	B)	Hyaline degeneration
C	) Calcareous degeneration	D)	Fatty degeneration.
105. F	lysteroscopy is indicated in		
A	) Endometriosis	B)	Ovarian cancer
C	C) DUB	Ď)	CaCx.
106. F	Radical hysterectomy is done for Ca	🗙 in	
· 4	) Stage IA <sub>2</sub>	B)	Stage I B
C	C) Stage II A	D)	All of these.
107. (	Commonest site for endometritis is		
ł	1) vagina	B)	ovary
Ċ	c) back of uterus	D)	peritoneal cavity.
108. I	Pre-malignant lesion of carcinoma of	endome	etrium is
· 4	) Cystic glandular hyperplasia		
F	3) Atypical hyperplasia		
.0	2) Atrophic endometrium		
I	)) Irregular shedding of endometri	um.	
109. 1	The commonest mode of spread of C	aCx is	
F	) laterally to the parametrium	B)	upward to the Cx canal
C	) Downward to the vagina	D)	to the endometrium.
110. 1	he Histological appearance of carcin	noma of	Endometrium is
. <b>A</b>	) Clean cell carcinoma		
E	8) Squamous cell carcinoma		
. c	) Adenocarcinoma		· ·
I	) Adenoacanthoma.	-	•
111. L	n bilateral abductor paralysis the vo	cal cord	s assume
A	) Median or paramedian position	B)	Intermediate position
C	) Full abduction position	D)	None of these.

.

112. In radical neck dissection, the following structures is removed along with lymph node except

Sternomastoid **A**)

Acessory nerve **C**)

- 113. Sistrunk operation is for
  - **A**) Branchial cyst B)
  - **C**) Pharyngeal peritone D)
- 114. Mikulicz's cells are found in
  - A) **Tuberculosis** B)
  - C) Hansen's disease
- 115. Rhenosperidium is treated by
  - **A**) Medical management alone
  - **B**) Surgical excision
  - Surgical excision & cauterization of base C)
  - Wait & Notch. D)
- 116. Radiography findings in aclasia cardia include all except
  - A) Ocsophageal dealbation
  - **B**} Rat tail appearance
  - Failure of lower oesophageal sphincter to relax C)
  - Diffuse oesophageal spasm. **D**)
- 117. In Invasive fungal sinuses, the treatment of choice is
  - Nasal steroid inhalator **A**) Antihistamine B)
  - Amphotericin -B D) Local nasal decongenstant. C)
- 118. Terminal branches of external & internal carotid arteries supply the mucosa of nares, with frequent anastomosis between these systems. The following vessels take part except.
  - anterior ethmoid artery B) sphenopalatine artery A)
  - septal branch of facial artery D) posterior ethmoid artery. **C**}

x 301

3001

- 19
- B) Internal jugular vein
- D) Trapezium.
  - Thyroglossal cyst
  - Dermoid cysta
  - Rhenoscleroma
  - Sarcoidosis. D)

AMSQ	20		
119. The	first line of treatment for chronic si	nusiti	s, the antibiotic of choice is
· A)	Amoxicillin	B)	Erythromycin
C)	Amoxicillin clarulanate	D)	None of these .
120. Wh	ich of the following drugs is having i	nasț c	ell stabilization effect ?
A)	Topical nasal solution of cromolyn	•	
B)	Nasal steroids		
C)	Xylometazoline nasal drops		· · · · · ·
D)	None of these.		
121. Reg	arding Beau's line all are correct exe	cept w	hich one of the following?
A)	Transverse depression on the nail		· · ·
<b>B)</b>	Temporary interference with nail for	ormati	on.
<b>C)</b>	First seen at the distal edge of the	nail	•
D)	Commonly follows systemic illness		
122. In h	uumans the most darkly pigmented l	hairs a	are which one of the following ?
A)	Eye lashes.	B)	Body hair
C)	Scalp hair	D)	Pubic hair.
123. Tre	atment of acne vulguris includes all	ехсер	t j
<b>A</b> )	Tetracycline	B)	Retinoids
C)	Azathioprine	D)	Topical antibacterials.
124. Fea	tures of arterial ulcers are all except	t	
A)	Frequently pretibial		
B)	Painful at night		·
C)	Pigmentation of the surrounding a	irea	:
D)	Sharp, packed out ulcer.		dure in smith and multiform 2
	ich one of the following is the classi		
A)	Vesicles on the face	B)	Oral ulcer
• C)	Koebner's phenomenon	D)	Target lesions.

x 301

. .

÷ .

[ Turn over

الم الم

126.	Regi	ding benign mucosal pemphigoid a	l the f	ollowing are true except
	A)	Onset-Late middle age		
	B)	Common in women	•	•
	C)	Autoimmune disease		· .
	D)	Heals without scarring.		,
127.	Whi	ch one of the following is characteris	stic of	steroid induced acne?
	A)	Comedones	<b>B</b> )	Seborrhoea
	C)	Cysts	D)	Monomorphic lesions.
1 <b>2</b> 8.	Whi	ch one of the following is a psychoar	nalytic	based therapeutic model ?
	A)	Relaxation therapy	B)	Token economy
	C)	Hypnosis	D)	Social skills training.
129.	Parie	etal dysfunction includes the followi	ng exc	ept
	A)	Confusional state		
	B)	Apraxia		
	C)	Anosognosia	•	· .
	D)	Cortical blindness.		
130.	Occi	petal lobe dysfunction is characteris	sed by	all the following except
	A)	Personality change	B)	Visual halucination
	C)	Cortical blindness	D)	Anton's syndrome.
131.	Cho	ose the wrong statement regarding S	Somati	zation Disorders :
	A)	Life time prevalence is 0.5%		
	B)	Usually affects women more freque	ntly tl	nan men
	C)	Reportedly more common in low so	cio-ec	onomic classes
	D)	Respond well to treatment,		
132.	The	following Medical co-morbidity are	possib	le in schizophrenia except
	A)	Obesity	B)	Hyperlipidemia
	C)	Malignant neoplasm	D)	Broncial Asthma.
				•

2001

x 301

AMS	<b>9</b>	2:	2	
133.	Cho	ose the wrong statement in demen	tia :	
	, <b>A</b> }	Consciousness is clear		
	B)	Symptoms are stable		<b>,</b>
	C)	Severe cognitive impairments	•. • •	
	D)	Predominant feature is mood dist	urbanc	ce.
134.	The	synthetic components of Opioids a	are all t	the following except
	<b>A)</b>	Heroin	B)	Charas
• •	<b>C)</b>	Pentazocine	D)	Meperidine.
135.	Into	exication of cannabies includes all	except	
	A)	Confusion	B)	Fearfulness of suspiciousness
	C)	intense anxiety & panic attacks	D)	Pupillary constriction.
136.	The	following are the features of ADHI	) excep	<b>)t</b>
	A)	Impulsivity	B)	Excitability
	C)	Hyperactivity	D)	Elation.
137.	Stild	lenafil is indicated in		
·	A)	Premature ejaculation	B)	Erectile dysfunction
	C)	Voyeurism	D)	Homosexuality.
138.	The	following are common in post-par	tum pe	riod in women except
	<b>A</b> )	Post-partum blues	•	
	B)	Post-natal depression	·	
	C)	Post-partum psychosis		
	D)	Hyperemesis Gravidarum.		
139.	Des	criptive population genetics inclu	ies all	the following except
-	- <b>A</b> )	Twin studies		· · · · · · · · · · · · · · · · · · ·
	B)	Adoption studies		
	C)	Family risk studies		·
	D)	Association studies.		
<u></u>				
x [30	<b>D1</b>	30	01	

đ

. .

140. Chalazion is due to

A) inflammation of the meiobian gland B) inflammation of the Zeis gland inflammation of Krause's gland C) inflammation of Moll's gland. D) 141. Cataracta Nigra means A) **Black cataract** B) **Red cataract** C) Blue cataract D) White cataract. 142. Pterygium of the conjunctiva means A) Wing shaped structure B) Butterfly shaped structure Cl **D**-shaped structure D} Circular structure. 143. Aqueous humor is produced by the ciliary body by A) Ultrafiltration B) Secretion All of these. C) Pump mechanism DI 144. Leucoma means A) full thickness diffuse dense corneal scar B) insignificant scars in the Bowman's membrane C) small epithelial scars D) moderate stromal scars. 145. Iritis consists of which of the following features? A) Miotic pupil B) Flare C) Keratic precipitates All of these. D) 146. Hyphaema means blood in the anterior chamber A) blood in the vitreous B) D) blood in the retina. C) blood in the layers of cornea x 301 3001

AMSQ	24							
147. In e	147. In extracapsular cataract extraction							
. A)	Nucleus is removed							
•B)	Cortex is removed							
·C)	Part of the anterior capsule is rem	oved						
D)	) All of these.							
148. HL	A-B <sub>27</sub> is strongly associated with							
<b>A)</b>	Ankylosing spondylitis	B)	Fibromyalgia					
C)	Rheumatoid arthritis	· D)	Osteoarthritis.					
149. Which activity will be difficult to perform for a patient with an anterior associate. deficient knee joint ?								
A)	Walk uphill	B)	Walk downhill					
C)	Sit cross-legged	D)	Getting up from sitting.					
150. Painful arc syndrome is seen in all except								
A)	Complete tear of Supra spinatus	B)	Fracture greater tuberosity					
C)	Subacromial Tarsitis	D)	Supra spinatus tendinitis.					
151. Cho	ondro calnocinosis is seen in							
A)	Ochronosis	B)	Rickets					
C)	Hypoparathyroidism	D)	Hypervitaminosis D.					
152. Three point relationship is reversed in all except								
· A)	Fracture medial epicondyle							
B)	Supra cor.dylar fracture							
C)	Fracture lateral epicondyle							
D) Posterior dislocation of elbow.								
153. Non-specific Osteomyelitis is caused by								
A)	Salmonella	B)	Fungus					
<b>C)</b>	Yaws	D)	Staphylococcus Aureus.					

x <u>301</u>

154. The principle of limb salvage is

A) retain the integrity of the skeletal system

B) to save life

C) not to use endoprosthesis

D) all of these.

155. Test for sacroiliac joint involvement is

A) Dugas' test B) Pump handle test

C) Drawer test D) Bryant's test.

156. de Quervain's disease is stenosing tenosynovitis of

A) flexor of fingers

B) extensor and abductor of thumb

- C) extensor of finger
- D) lumbricoid.

157. The attitude of the lower limb in posterior dislocation of hip is

A) flexion, abduction, internal rotation

B) flexion, abduction, external rotation

C) flexion, adduction, external rotation

D) flexion, adduction, internal rotation.

158. The commonest drug used in total intravenous Anaesthesia is

A) Dipentone sodium B) Diazepam

C) Fentanyl D) Propofol.

159. Safe inhalational agent with high range of safety is

- A) halothane
- B) ether

C) nitrous oxide

D) cyclopropane.

x 301

3001

160. Ketamine causes all of the following except

- A) increases the heart rate
- B) increased myocardial contractility
- C) decreases the myocardial oxygen consumption
- D) hypertension.

161. Suxamethionium causes

- A) depolarising blockade
- B) non-depolarising blockade.
- C) causes reduction in sodium-potassium levels
- D) metabolised in kidneys.

## 162. The commonest complication of sub-clavian vein cannulation is

- A) Arterial puncture B) Thoracic duct puncture
- C) Pneumothorax D) Catheter knotting.

163. The spinal cord ends at the

- A) lower border of  $L_1$  B) lower border of  $L_2$
- C) S<sub>1</sub> D)

164. Auto degradation occurs with which of the following muscle relaxants?

T<sub>12</sub>.

Gallamine.

D)

3001

- A) Pancuronium B) Vecuronium
  - .

165. BLS is a / an

C)

A) English course

Atracurium

B) Book publisher

C) Resuscitative measure

D) Name of a machine.

x 301

AMSQ

166. Endotracheal intubation could be done using

A) Bronchoscope B) Auroscope

C) Laryngoscope D) Laryngeal spray.

167. The only dural venous sinus which joins with the internal jugular vein extracranially is

A) Superior petrosal sinus

B) Inferior petrosal sinus

C) Inferior sagittal sinus

D) Superior sagittal sinus.

168. The statement given below has five suggested answers. Select one that is correct.

Documentation of sepsis in the newborn is sometimes difficult. Which of the following sites has a low rate of positivity ?

A) Cerebrospinal fluid

B) Endotracheal aspirate cultures

C) Venous blood

D) Urine culture.

169. The statement given below is followed by five suggested answers. Select the one that is correct.

If a person heterozygous for a recessive trait mates with person Heterozygous for the same trait,

- A) all of the children show the pathologic trait
- B) 75 % of the offsprings show the pathologic trait
- C) 50 % of the offsprings show the pathologic trait

D) 25 % of the offsprings show the pathologic trait.

x 301

AMSQ 28 170. Which of the following statements concerning Vitamin D metabolism is false ? Bound to alpha-2 globulin in lymphatics · A) Requires bile for absorption -B) C) Kidney is active in metabolism Stored in the liver but not metabolised there. D) 171. Radiographic examination to examine skeletal maturity is best evaluated by X-rays of the A) Elbow joint B) Wrist C) Ankle D) Knee joint. 172. The principal cause of Bronchiolitis is A) H. Influenza B) Pneumococcus C) Parainfluenza D) Respiratory syncytial virus. 173. Signs of severe dehydration includes each of the following except rapid feeble pulse B) very sunken Fontanelle A) C) D) 5 % body weight loss. about tears. 174. The most common type of congenital esophageal malformation is Esophageal atresia with Distal tracheoesophageal fistula A) B) Esophageal atresia without fistula Tracheoesophageal fistula without atresia C) D) Esophageal atresia with proximal tracheoesophageal fistula. 175. All of the following metabolic alterations can occur in pyloric stenosis, except A) Hypokalemia B) Hypochloremia **D**) Dehydration. C) Decreased serum pH 176. Measles vaccine is given to a child at the age of  $4\frac{1}{2}$  years A) 6 months B) D) at birth. C) 9 months

> . .

x 301

29 177. Presbyopia can be corrected by using A) cylindrical lens B) concave lens C) convex lens D) bifocal lens. 178. The enzyme involved in diffusion and carriage of carbon dioxide in the RBC is B) 2.3 DPG Carbonic anhydrase A) C) Cyclic AMP D) Cyclic GMP. 179. The spontaneous burning pain produced after seemingly trival injury is called **A**} causalgia **B**} neuralgia C) allodynia D) angina. 180. The principal hormones secreted by thyroid are A) monoiodotyrosine and di-iodotyrosine monolodotyrosine and tri-iodothyronine B) C) di-iodotyrosine and tri-iodothyronine tri-iodothyronine and tetra-iodothyronine. D) 181. The muscle, which produces abduction of vocal cord is A) lateral cricoarytenoid B) posterior cricoarytenoid Ċ) transverse arytenoid D) cricothyroid. 182. Palatine tonsils develop from A) 1<sup>st</sup> pharyngeal pouch 2<sup>nd</sup> pharyngeal pouch B) 4<sup>th</sup> pharyngeal pouch C) 3<sup>rd</sup> pharyngeal pouch. D) x 301

3001

Turn over

183. Antidepressant drugs include the following except

- A) SSRI
- B) SNRI
- C) NaSSA
- D) Haloperidol.

184. Drugs that potentiate brain serotonin functions include the following except

- A) Imipramine
- B) Citalopram
- C) Venlafacine
- D) Alcohol.

185. Which of the following are the important precautions one should observe before starting the precaution as antipsychotics ?

3001

- A) Complete haemogram
- B) ECG
- C) Lipid profile & Blood glucose
- D) All of these.

186. The following are the ego-defence mechanism except

- A) Projection
- B) Denial
- C) Displacement
- D) Intimacy.

187. The following are modes of behaviour therapy except

- A) Flooding
- B) Aversion Therapy
- C) Modelling
- D) Hypnosis.

x 301

			31			· .	1MS9	
ĩ	188.	The	following are psychotherapy except		•	·		
	ł	<b>A</b> }	Marital therapy	B)	Group Therapy			
	. , * * 김	C)	Supportive Therapy	D)	Disulphiram Thera	ipy.		
	189.	Lim	bic system includes the following ex	cept				
÷		A)	Hypothalamus	B)	Amygdela			
		C)	Hippocampus	D)	Cerebellum.	•		
	1 <b>90</b> .	Whi	ich of the following is not a feature of	f Klöve	er-Bucy syndrome ?			
	• •	A)	Visual Agnosia	<u> </u>				
		B)	Contabulation	•				
	•	<b>C</b> )	Oral tendencies		· .			
	: 	D)	Plaudity .			•		
	191.	All	of the following statements about the	ombo	ocytopenia are true e	xcept .		
	,	A)	ITP in children usually follows vira	l infec	etion	- 	•	
		B)	In adults, we have to rule out HIV			· .	•	
		C)	TTP is due to circulating low molec	ular v	veight VWF		•	
•	·	D)	Plasma exchange has to be done in	TTP.		•		
• •	192.	All	of the following are true about cirrho	osis o	f liver except	÷.		
•	·	A)	there is peripheral vasodilatation d	ue to	nitric oxide	~		
		B)	may have breathless on standing					
	۴.,	<b>C</b> )	hepatic encephalopathy is precipita	ated b	y GI haemorrhage			
		D)	methotrexate induces cirrhosis by	choles	stasis.	- · ·		
	x <u>30</u>		3001			i Turr	ı over	

j

https://www.freshersnow.com/previous-year-question-papers/-

193. Consider the following statements regarding liver enzymes :

- I) AST is more specific for liver
- II) Alkaline(PO<sub>4</sub>)ase is increased in both intra and extrahepatic cholestasis
- III) Elevation of γ-Glutamyl transferase does not necessarily indicates liver disease
- IV) In primary biliary cirrhosis, the predominant Ig is IgM.

#### Of the statements

- A) All are correct
- B) (I) & (II) are correct
- C) (II), (III) & (IV) are correct
- D) (I), (III) & (IV) are correct

194. All of the following are true regarding gastroesophageal reflux disease except

- A) Systemic sclerosis is a risk factor
- B) Alginate containing antacids may worsen the symptoms
- C) Proton pump inhibitors are the drug of choice
- D) It may predispose to malignancy.

195. Diagnostic criteria for Irritable Bowel Syndrome consist of all except

Abdominal discomfort con. pain

- A) relieved with defecation
- B) associated with change in frequency of stool
- C) change in consistency
- D) should be present for blots.

x 301

· 33

196. Match the following : Ego defence Meaning 1000 je j Transferring the emotions Displacement 1) a) Diversion of. Regression **2)** · b) 🖞 behaviour to acceptable one Adoption of primitive patterns of 3). Repression c) behaviour 4) Exclusion from anxious emotions Sublimation d) Codes : đ a С ΆĴ 1 2 3 4 B) 1 3 2 4 2 3 4 4C) 1 3 Ď) 2 4 1 197. All are dissociative symptoms except A N Fugue B) Pseudodementia . Amnesia D) Mutism. Ċ) 198. Match the following : Secular trend 1)<sup>·</sup> URI a) Bhopal Gas Tragedy Cyclical trend 2) b) Diabetes -Seasonal trend 3) c) Short-term fluctuations Measles d) 4) Codes : d. à C 2 3 1 A) 3 2 B) 2 4 1 2 1 D) 3001 301

AMBO

unacceptable

.


### AMSQ

199. If the cut-off point E moves towards A which of the following is correct?

- A) False positive increases
- B) False negative increases

C) Both increases

D) Both decreases.



3001

## 200. Match the following :

	a)	Intrir	1)				
	<b>b</b> )	Extri	2)				
	c)	Atypi	3)				
	d)	Multiple abscesses			4)		
Cod	Codes :						
	a	Ъ	с	đ			
A)	3	1	2	4			
B)	2	3	1	4			
C)	2	1	3	<b>4</b>			
D)	3	2	<b>4</b> ·	1			

Mycoplasma
Aspirin intolerance
Atopic individuals

4) Staphylococcus aureus.