DO NOT BREAK THE SEAL UNTIL YOU GO THROUGH THE FOLLOWING INSTRUCTIONS

QUESTION BOOKLET

Name of Post - DENTAL SURGEON

Roll No.					Booklet Series	D
(H	Enter your Roll n	umber in the	above spa	ice)		
Time Allo	wed: 2 Hour				Max. Marks: -	· 100
Dio	TDIICTION	i				

INSTRUCTIONS:

- 1. Use only BLUE/BLACK Ball Point Pen.
- 2. All questions are COMPULSORY.
- 3. All questions carry equal marks.
- 4. Check the BOOKLET thoroughly.

IN CASE OF ANY DEFECT - MISPRINT, MISSING QUESTION/S, <u>GET THE BOOKLET CHANGED</u>. NO COMPLAINT SHALL BE ENTERTAINED AFTER THE TEST.

- 5. Before you mark the answer, fill the particulars in the ANSWER SHEET carefully and correctly. Incomplete & Incorrect particulars may result in your answer sheet not being evaluated by the Computer.
- 6. After completing the test, handover the ANSWER SHEET to the Invigilator.
- 7. For Rough Work, Blank Sheet is provided at the end of the question booklet
- 8. Before filling up the Answer Sheet, Read the instructions for marking the answer sheet carefully printed on the answer sheet.
- 9. Write the BOOKLET SERIES given at the TOP RIGHT HAND SIDE of the question booklet in the space provide in the answer sheet, by darkening the corresponding circles.

C/2009/12/II

P.T.O.

Note: Each question carry one mark. No negative marking.

- 1. The third battle of Panipat was fought between
 - A. Ahmed Shah Abdali and Maratha rulers
 - B. Nadir Shah and Mohd. Shah
 - C. Prithvi Raj Chauhan and Mohd. Gauri
 - D. Sher Khan and Humayun
- 2. When was the State of Haryana formed?
 - A. 1st Nov., 1966
 - B. 10th Dec., 1966
 - C. 2nd Jan., 1967
 - D. 4th March., 1967
- 3. Where has the National Dairy Research Institute in Haryana been established?
 - A. At Sirsa
 - B. At Kurukshetra
 - C. At Karnal
 - D. At Jind
- 4. In 1526 the famous battle between Babar and Ibrahim Lodi was fought at -
 - A. Kurukshetra
 - B. Rewari
 - C. Panipat
 - D. Patiali
- 5. How many districts are there in Haryana?
 - A. 21
 - B. 25
 - C. 28
 - D. 32
- 6. The first muslim President of Indian National Congress was:
 - A. Aimal Khan
 - B. Abdul Kalam Azad
 - C. M.A. Jinnah
 - D. Badruddin Tyyabji
- 7. Which of the following laid the foundation of the British Civil Service in India?
 - A. Warren Hasting
 - B. Lord Conrnwallis
 - C. Lord Wellesley
 - D. Lord Canning
- 8. Which one of the following was not a consequence of the 1857 Revolt?
 - A. European troops were increased in India
 - B. Different classes of sepoys were mixed
 - C. Artillery and advanced weapons were placed in European hands
 - D. Hindus and Muslims began to be appeased equally

9.	A. B. C.	one of the following is the correct sequence of the age of formation –form the st to the oldest- of the given mountain ranges? Himalayas, Vindhyas, Western Ghats, Deccan Traps Deccan Traps, Western Ghats, Vindhyas, Himalayas Himalayas, Western Ghats, Vindhyas, Deccan Traps Vindhyas, Himalayas, Deccan Traps, Western Ghats
10.	The big	gest lake in India is:

- - A. Dal lake
 - B. Chilka Lake
 - C. Wular lake
 - D. d) Sambhar Lake
- 11. The state, which has attained the dubious distinction of being topper in the list with the highest encroachment of forest land:
 - A. Bihar
 - B. Andhra Pradesh
 - C. Haryana
 - D. Punjab
- 12. Which one of the following groups of crops is grown in India during the Rabi season?
 - A. Wheat, Barley, Gram
 - B. Rice, maize, wheat
 - C. Barley, maize, rice
 - D. Millet, Gram, Rice
- 13. The Union Territories get representation in:
 - A. Lok Sabha
 - B. Rajya Sabha
 - C. Both Houses of Parliament
 - D. None of the above
- 14. The total number of High Courts in India at present is:
 - A. 15
 - B. 16
 - C. 18
 - D. 21
- 15. The only Union Territory which has a High Court of its own:
 - A. Delhi
 - B. Lakshadweep
 - C. Chandigarh
 - D. Darman and Diu
- 16. Which of the following is wrongly matched:
 - A. Share market-stock exchange
 - B. Interest rate- fiscal policy
 - C. Export subsidy- fiscal policy
 - D. General price index- inflation

17.	. VAI is alternate of:		
	A. State tax		
	B. Central tax	ं एक्षेत्रसम्बद्धाः	
	C. Both (a) and (b)		$(\mathcal{C}_{\mathcal{A}}) = \{ \mathbf{f} \in \mathcal{F} \mid \mathcal{C}_{\mathcal{A}} \in \mathcal{C} \mid \mathcal{C}_{\mathcal{A}} \in \mathcal{C} \}$
	D. Neither (a) nor (b)	1 yphOssi	:
	D. Tromier (a) nor (b)		
18	. The headquarters of World T	rada Organization is in	
10.		rade Organization is in:	i e
	A. Montreal		
	B. Seattle		
	C. Geneva		
	D. The Hague		
19.	Gobar Gas' contains mainly:		
	A. Carbon dioxide		
	B. Acetylene		
	C. Ethylene		
	D. Methane		
	B. Wichiane		
20	Which one of the following m	natamiala ia assitable Comunicati	
20.	Which one of the following n A. Silicones	iaterials is suitable for water	purification?
	B. Zeolites		,
	C. Asbestos		
	D. Quartz		
21.	Which one of the following c	ountry is the leading produce	er of uranim?
	A. USA	-	
	B. Canada		:
	C. Germany		
	D. Zambia		
22	Which one of the following C	ountries has the largest force	st area in the world?
22.	A. Brazil	ountries has the largest lores	st area iii tile world?
	· -		
	B. Canada		
	C. Russian Federation		
	D. USA		
23.	English is the official language	ge of which of the following	States?
	A. Manipur	·	
	B. Nagaland		
	C. Karnataka		
	D. Andhra Pradesh		
24	National Development Counc	il is ·	i
	A. Political body		
	B. Non-political body		*1
	C. Statutory body		
	D. None of the above		

- 25. DPT is a vaccine for:
 - A. Diarrhoea, polio and typhoid
 - B. Diphtheria, whooping cough and tetanus
 - C. Diarrhoea, polio and tetanus
 - D. Diptheria, whooping cough and typhoid
- 26. Golden Proportion is
 - **A.** 1: 1.668
 - **B**. 1:0.618
 - C. 1:2.618
 - D. 1:0.1618
- 27. Most preferred Impression material for recording Implant Impressions
 - A. Alginate
 - B. Condensation silicone Impression
 - C. Polyether Impression Material
 - D. Polysulphide Impression Material
- 28. Stress breakers are indicated for use when the clinical examination reveals that the
 - A. residual ridge is atrophic and the teeth are strong
 - B. denture will be tooth borne
 - C. residual ridge is strong and the teeth are weak
 - D. residual ridge is weak and so are the teeth
- 29. Bennett shift is the
 - A. Downward, forward and inward movement of the balancing condyle
 - B. Downward, forward and inward movement of the working condyle
 - C. Bodily shift of the mandible on the working side
 - D. Bodily shift of the mandible on balancing side
- 30. Balancing Ramps are made in Complete Dentures which use
 - A. 0 degree teeth
 - B. 20 degree teeth
 - C. 25 degree teeth
 - D. 33 degree teeth
- 31. The incisal guidance is
 - A. Governed by Phonetics and esthetics
 - B. Governed by esthetics only
 - C. Governed by Pre extraction Records
 - D. Variable and set by the clinician
- 32. Sibilant sounds are produced at
 - A. rest position
 - B. occluding position
 - C. open from resting position
 - D. between rest and occluding position

C/2009/12/II

- 33. Modiolus at the corner of the mouth is formed by all of the following except
 - A. triangularis
 - B. buccinator
 - C. masseter
 - D. orbicularis oris
- 34. A high occlusal contact occurs in the balancing position b/w the lingual cusp of maxillary 1st molar and the buccal cusp of mandibular 1st molar. To eliminate this which surface should be reduced
 - A. lingual cusp of maxillary 1st molar and buccal cusp of mandibular 1st molar
 - B. either lingual cusp of maxillary 1st molar or buccal cusp of mandibular 1st molar
 - C. lingual cusp of maxillary 1st molar with milling paste at the time of denture insertion
 - D. lingual cusp of maxillary 1st molar in centric and occluding position
- 35. Which of the following clinical requirements is not required in order to produce an acceptable functionally generated record of mandibular movements:
 - A. completed opposing restored or natural arch
 - B. acceptable occlusal guidance
 - C. stable record base
 - D. fully adjustable articulator
- 36. Both research and our textbooks state that "the most important factor in RPD treatment" is: (choose one)
 - A. broad stress distribution
 - B. I-bar, mesial rest, guiding plane design
 - C. the final impression
 - D. motivation for plaque control
- 37. If the path of dislodgement is controlled, an I-bar is most often located in .01" undercut
 - A. Cemento-enamel junction
 - B. Greatest mesio-distal curvature of the buccal or lingual surface
 - C. Mesio-buccal line angle
 - D. Disto-buccal line angle
- 38. Gagging reflex is caused by
 - A. Trigeminal nerve
 - B. Glossopharyngeal
 - C. Facial nerve
 - D. Recurrent laryngeal
- 39. When should pour polyether impression materials
 - A. Within 24 hours after taking impression
 - B. Within 30 minutes after taking impression
 - C. Should be stored dry and then poured
 - D. Should be stored in humid place

- 40. Which cement is less soluble in the oral cavity
 - A. Polycarboxylate
 - B. Zinc phosphate
 - C. Silicate phosphate
 - D. Glass Ionomer Cement
- 41. The best method of cleaning and toilet cavity
 - A. Alcohol
 - B. Citric acid
 - C. Water
 - D. Organic acid
- 42. Children born with cleft palate, microdontia and glossoptosis have
 - A. Christian disease
 - B. Trenches-Collins Syndrome
 - C. Pierre-Robin Syndrome
 - D. Ectodermal Dysplasia
- 43. The laboratory findings in Paget's disease show
 - A. Elevated calcium, elevated phosphate, and elevated alkaline phosphate.
 - B. Normal calcium, normal phosphate and elevated alkaline phosphate
 - C. Decreased calcium, increased phosphate and elevated alkaline phosphate
 - D. Normal calcium, increased phosphate and elevated alkaline phosphate
- 44. On inspection of lateral boarder of the tongue at the base, which structure would you expect to find
 - A. Filiform papillae
 - B. Fungiform papillae
 - C. Foliate Papillae
 - D. Circumvallate papillae
- 45. A patient suffers a blow to his maxillary central incisor without resulting in fracture. The pulp:
 - A. Immediate necrosis
 - B. Becomes non-vital but only if treatment is delayed too long
 - C. Becomes non vital irrespective of treatment
 - D. No changes is seen later if fracture does not occur
- 46. Patient on anti-coagulant therapy requires an extraction to be performed. Which of the following is NOT true
 - A. Post operative bleeding can be reduced somehow by using tranexemic acid
 - B. Prothrombin values of at least 2.5 is required to perform extraction
 - C. It takes at least 8 hours for heparin to take affects
 - D. Heparin should be administered sub-cutaneous
- 47. Middles aged woman gives a history of intermittent unilateral pain in the sub mandibular region, most probable cause is
 - A. Calculus in the salivary duct resulting in sialolithiasis.
 - B. Ranula
 - C. Cyst
 - D. Mucocele

- 48. What is true in regards to lateral mandibular incisor
 - A. 20% have 2 canals with one foramen
 - B. 20% have 2 canals with two foramina
 - C. 40% have two canals with 10% ending in two foramina
 - D. 40% have two canals with only one ending in two foramina
- 49. Which of the following liquids is not suitable for prolonged immersion of cobalt chrome
 - A. Alkaline peroxidase
 - B. Hypochlorite solutions
 - C. Soap solutions
 - D. Water
- 50. The first forming microbial elements of plaque are
 - A. Aerobic gram positive G+
 - B. Aerobic gram negative GC.
 - C. Anaerobic gram negative GD.
 - D. Anaerobic gram positive G+
- 51. Cast crown fits on die but not on tooth; discrepancy is about 0.3mm what would you do
 - A. Relieve cast from the inside
 - B. Take a new impression and make new crown
 - C. Burnish margins
 - D. Use thick mix of cement
- 52. Which of the following procedures will not achieve sterilization
 - A. Hot air at 160°C "320°F" for 90mins
 - B. Boiling water at 100°C "210°F" for 2 hours
 - C. Autoclave at 121°C "250°F" under 15psi for 20 mins
 - D. Dry heat at 177°C "350°F" for 60mins
- 53. Long bone growth by
 - A. Mitosis in osteoblast
 - B. Mitosis of osteoblast
 - C. Appositional growth in cartilage epiphysis
 - D. Interstitial growth in cartilage epiphysis
- 54. Bone graft method that has shown the greatest osteogenetic potential is
 - A. Freeze-dried bone graft
 - B. Hetrozygous Marrow graft
 - C. Cortical bone graft
 - D. Cancellous bone graft
- 55. Child with less than normal number of teeth, mandibular lateral incisor is larger than usual; on x rays it shows with two roots and two roots canals; your diagnosis is

 - B. Fusion
 - C. Concrescence
 - D. Taurodontism

56	6. The M	OST stable area to evaluate the craniofacial growth is
	A.	Nasal floor
	B.	Cranial vault
	C.	Naso maxillary complex
	D.	Anterior cranial base
57	. Which	one of the following systems is not designed to discourage crack propagation by
	the pre	sence of crystalline second phases?
		Feldspathic porcelains
		Aluminous porcelains
		Porcelains with leucite
	D.	Ceramics with mica
58	. The fin	al porosity in set PLASTER is approximately:
	A.	15%
	B.	20%
	C.	25%
	D.	35%
59.	The set	ting reaction of plaster is accelerated by all of the following EXCEPT:
	A.	Increased temperature
		Rapid spatulation
		Low relative humidity
		Slurry water
60.	What is	the theoretical amount of water required to react with 100 gms of calcium sulfate
	hemihy	drate to form calcium sulfate dihydrate?
	A.	15 cc
	B.	18 cc
	C.	30 cc
	D.	50 cc
61.	Which (ONE of the following clinical events intra-orally probably contributes the most to
	porcelai	n-to-metal failure?
		Occlusal stresses
		Thermal cycling
	C.	Acid attack at the surface cracks
	D.	Metal flexure near cusps
62.	Which o	one of the following impression materials does NOT set by a stepwise
	polymer	ization reaction?
	A.	Polysulfide Rubber
	В.	Conventional Silicone Rubber

63. Polysulfide impression material sets by which one of the following mechanisms?

C. Polyether RubberD. Polyvinyl Siloxane

D. Chelation

A. Chain reaction polymerizationB. Stepwise polymerizationC. Addition polymerization

	Alginate	:
D.	Conventional Silicone Rubber	1
65. How r	nuch filler is there in a typical investment composition?	
A.	45%	
	66%	
C.	75%	•
D.	94%	4
66. Hygro	scopic expansion of investment materials occurs by:	
A.	Crystal impingement producing expansive forces	
B.	Production of more reaction products	
C.	Absorption of water by the filler phase	
D.	Imbibition of water into the spaces between the phases	
67. What i	s the minimum acceptable level for visible curing light outputs?	
A.	150 mW/cm2	
	300 mW/cm2	
	550 mW/cm2	
D.	1500 mW/cm2	:
68. Which	muscle acts on the disto lingual contour of lower denture	;/
	Mentalis	
	Masseter	
	Mylohyoid	
D.	Buccinator	
69. The Mo	OST likely factor contributes to tooth eruption is	ŧ
	The growing root	
	Bone growth	
	Vascular pressure	
D.	The developing periodontal ligament	
	conditioners tend to harden as a result of:	
	loss of moisture	
	loss of monomer	
	loss of plasticizer	•
D.	all the above	
	denture adhesives is contraindicated in case:	
	immediate dentures	
	xerostomia	
	poor muscle control	
D.	none of the above	4
C/2009/12/II	· · · · · · ·	Conto-

64. Controlled temperature and relative humidity are important considerations for the setting

of which ONE of the following impression materials?

A. Zinc Oxide Eugenol

B. Polyether

Series - D

72. Closest speaking space should be id A. 2-3 mm	eally:	
A. 2-3 mm	and solutive hum	64. 'oarrolled tei.
D. 1.0- 2 mm	Seattle unpressi	aidCalaide 👝
C. 0.5-0.9 mm	3 ,	A. Zinc in
D. 1-1.5 mm		d Polyta
		aist?
73. Color temperature of light for shade	selection is	1
A. 4500 K	selection is	
B. 5500 K		55. ,
C. 6500 K		
D. 7500 K		
		÷
74. Post cementation pain on biting is du	e to	
A. Occlusal overload	6 10	
B. Sensitivity to cement		(;
C. Periapical abscess	Marie Mathers Johnson	
D. Short margins	4-0 *242# Darie 10 4 5 10 10	
_	THE THE WARREST CO.	
75. In implant Prosthodontias alassis and	positive all	
75. In implant Prosthodontics classification A. Only the missing crown	on FP2 is a fixed prosthesis t	hat replaces
B. The grown and single to the	. 1	
B. The crown and gingival color	and portion of edentulous si	te
c. The clown and a portion of re	not	
D. Overdenture completely support	orted by implants	
76 Minimum required distant		'
 Minimum required distance between i A. 5mm 	mplant and mental foramen s	should be;-
B. 2mm	***	
C. 1mm		
D. None of the above		1
D. None of the above		
77 Inter implementation and account of the contract of the con		
77. Inter-implant distance should be at least	st;-	
A. 3mm		
B. 2mm		
C. 4mm		
D. 1mm		
70 70		
78. The waiting period after endodontic the overdenture treatment is?	rapy of the abutment tooth b	efore commencing
troutinont is:		ororo commencing
A. 1-2 weeks		¥
B. 2-4 weeks		
C. 4-6 weeks		
D. 6-8 weeks	1	$\mathbf{v}(0) = \mathbb{R}^{2}$
79. Which of these attachments is best for c	ases with very little interest	l1
O That attachmicht	with very fittle filterocc	usai space!
B. Gerber attachment		
C. Rothermann attachment		e e e
D. Interofix attachment		
		1

80. Ma	in disa	dvantage of a single complete denture against natural teeth is:
	A. A	brasion of artificial teeth
		ifficulty in establishing balanced occlusion
	C. A	brasion of natural teeth
		ll of the above

- 81. In normal dentition, Centric Relation coincides with
 - A. Hinge axis
 - B. Centric Occlusion
 - C. Maximum intercuspal position
 - D. Terminal hinge axis
- 82. Anterior reference point helps in following except
 - A. Face bow transfer
 - B. Minor adjustment in vertical dimension
 - C. Arrangement of anterior teeth
 - D. Recording Centric Relation
- 83. Lingualised occlusion concept as such was described by
 - A. Harrison
 - B. Page
 - C. French
 - D. Sears
- 84. Condylar guidance of an articulator is dependent as
 - A. Depth of glenoid fossa
 - B. Vertical overlap of incisors
 - C. Cuspal inclines
 - D. Inclination of articular eminence
- 85. How much Fluoride is present in toothpaste?
 - A. I ppm
 - B. 100 ppm
 - C. 1000 ppm
 - D. 10,000 ppm
- 86. Aging of the pulp is evidenced by an increase in:
 - A. fibrous elements
 - B. Calcifications
 - C. Mesenchymal cells
 - D. Odontoblasts
- 87. The least likely place for a carcinoma to occur in the oral cavity is:
 - A. alveolar ridge
 - B. buccal mucosa
 - C. tongue
 - D. soft palate

88. Each is ass	ociated with gastric limitation, except
A. Ac	etaminophen
B. alc	ohol.
C. ibu	profen.
D. ind	omethacin

- 89. Which injection poses the greatest risk for a hematoma:
 - A. posterior superior alveolar
 - B. Inferior alveolar nerve block
 - C. Nasopalatine
 - D. Buccal infiltration
- 90. How do you treat a patient with a Type II furcation involvement:
 - A. tissue guided regeneration
 - B. flap surgery
 - C. deep periodontal curettage
 - D. hemisection
- 91. Organism implicated in causing severe spreading of abscesses:
 - A. fusobaterium
 - B. staph aureus
 - C. streptococcus
 - D. mycobacterium
- 92. A patient with a new denture cannot make "S" and "TH" sounds. The problem is:
 - A. extensive vertical overlap
 - B. No Vertical Overlap
 - C. increase in Vertical dimension
 - D. decreased vertical dimension
- 93. A patient is taking Ketaconzole (anti-fungal) and requires antibiotic coverage. What antibiotic cannot be given:
 - A. Erythromycin.
 - B. Ciprofloxacin
 - C. Cephalexins
 - D. Penicillins
- 94. In which direction does the palatal root of the upper first molar usually curve towards
 - A. Facial / buccal/
 - B. Lingual
 - C. Mesial
 - D. Distal
- 95. Signs and symptoms that commonly suggest cardiac failure in a patient being assessed for oral surgery are
 - A. Palpitations and malaise
 - B. Ankle oedema and dyspnoea
 - C. Erythema and pain
 - D. Pallor and tremor

- 96. A persistent oroantral fistula for a 12 weeks period following the extraction of a maxillary first permanent molar is best treated by
 - A. Antibiotic therapy and nasal decongestants
 - B. Curettage and dressing of the defect
 - C. Excision of the fistula and surgical closure
 - D. Maxillary antral wash out and nasal antrostomy
- 97. Endogenous morphine like substance which can control pain is known as
 - A. Bradykinins
 - B. Prostaglandins
 - C. Serotonins
 - D. Enkephalins
- 98. What contra indicate pulp capping
 - A. Accidental exposure on vital young molars
 - B. When inflammation of radicular pulp is already present
 - C. When roots are greatly curved and tortuous
 - D. When anterior tooth is vital and immature with wide open apices
- 99. When tooth is twisted along its long axis; it is called
 - A. Mesio version
 - B. Disto version
 - C. Lingo version
 - D. Torsion
- 100. Hypodontia can be seen in
 - A. Cleidocranial dysplasia "dysostosis"
 - B. Down's syndrome
 - C. Papillon le fever syndrome
 - D. Rickets